# APPENDIX D DILLON FIELD OFFICE FIRE MANAGEMENT PLAN

**Background** The Dillon Field Office is located in the southwestern corner of Montana. It includes approximately 910,000 acres of BLM lands. Grasslands and shrubs are the most common landcover categories. About 280,300 acres or 31 percent of the public lands are considered grasslands. About 440,500 acres or 48 percent of the public lands are considered shrublands. About 168,800 acres or 19 percent of the public lands are considered forestlands. About 4,400 acres or less than 1 percent of the public lands are considered riparian areas. The remainder of the area is made up of barren areas such as exposed rock or badlands.

The Dillon Field Office contains 17 fire management zones. It also contains ten WSAs (Ruby Mountains, Blacktail Mountains, East Fork Blacktail Deer Creek, Hidden Pasture Creek, Bell/Limekiln Canyons, Henneberry Ridge, Farlin Creek, Axolotl Lakes, Centennial Mountains, and Tobacco Root Tack on (Section 202)), and one WA (Bear Trap Canyon). (See Map 5.)

**Planning guidance** The Dillon Management Framework Plan (MFP) (1980) will be updated as necessary to incorporate the fire management planning objectives and guidance contained in this document and described below.

Wildland fire suppression and rehabilitation guidance common to all areas within the Dillon Field Office boundaries: In addition to the state guidelines found in Appendix A, the following resources or values will be given further consideration as specified.

Cultural- Appropriate management responses to wildland fire on or near known cultural sites could include aerial application of fire retardant (in areas where no rock art is present), conditional fireline tactics such as the use of natural barriers, hand constructed fireline and other minimum suppression tactics. Use of earth moving equipment would be considered on a case-by-case basis. This process will consider resource values that could be affected, expected fire behavior and how these affect the escape fire analysis. Staging areas and fire camps would be placed outside these areas wherever possible. A Resource Advisor will be on-site during project scale wildland fire suppression and rehabilitation efforts to insure compliance with the decisions and guidelines for the following areas nominated as ACECs for cultural values: Maiden Rock-Soap Gulch- Camp Creek; Badger Gulch- Bannack Historic District; Clark Canyon; Ferruginous Hawk Nest Areas in the Sweetwater Basin Area; Virginia City Historic District; Axolotl Lakes; Madison River Corridor; East Fork of the Blacktail; Sage Creek, Everson Creek; Muddy Creek-Big Sheep Creek; Lima Reservoir; Centennial Mountains and the Upper Centennial Basin Bald Eagle Nest Areas.

Prescribed fire and other fuels management guidance common to all areas within the Dillon Field Office boundaries: The following resources or values will be given consideration in addition to the guidance found in Appendix A. Prescribed fire may be a management tool to be used on some BLM tracts to reach vegetation management objectives. Specific use of prescribed fire will be analyzed on a site specific basis through the NEPA process.

## BEAVERHEAD/JEFFERSON (A2) AND MADISON VALLEY (A10)


**Area description**: The Beaverhead/Jefferson area is a corridor of private agricultural land along the Beaverhead and Jefferson rivers. The area includes approximately 937,524 acres (4 percent BLM, 11 percent state, and 85 percent private).

Wildland fire history: Between 1980 and 1999, federal agencies responded to 25 fires in the Beaverhead/Jefferson area which burned an estimated 4,568 acres. Average fire size was 182.7 acres. Federal agencies have responded to 33 fires in the Madison Valley which burned an estimated 5,960 acres. Average fire size was 180 acres.

**Interface**: The majority of the population base of Beaverhead and Madison Counties lives within these areas. A large percentage of Beaverhead River drainage is irrigated for agricultural crops. As a result, wildfire risk is normally low during the growing season. Some portions of the Madison River drainage are also irrigated for crops, but it contains more dry land areas susceptible to wildfire. It also has a rapidly growing urban interface. However, no priority interface areas with hazardous fuels buildup on public lands have been identified in this area.

**Area concerns and constraints**: Fire is generally not desired due to large amounts of private land and rural subdivisions.

**Fire objective**: Wildland fire is not desired due to large amount of private land and agricultural production along the Beaverhead and Jefferson rivers.



#### **WISE RIVER TOWNSITE (B17)**

See Wise River Townsite description for the Butte Field Office

## **BEAVERHEAD MOUNTAINS (B1)**

**Area description**: This area runs along the Continental Divide and contains primarily high elevation heavy conifer fuel types. The area includes approximately 743,328 acres (4 percent BLM, 2 percent state, 10 percent private, and 84 percent FS). BLM lands constitute a minor amount of Federal ownership along the west side of the Big Hole Valley.

**Wildland fire history**: Between 1980 and 1999, federal agencies responded to 90 fires which burned an estimated 320 acres. Average fire size was 3.5 acres.

**Interface**: The towns of Wisdom and Jackson are the main concentrations of housing and are in defendable areas from wildfire. The remainder of the area is sparsely populated with isolated ranch operations and associated out buildings. Typical urban interface situations are uncommon. No priority interface areas with hazardous fuels buildup on public lands have been identified in this area.

Area concerns and constraints: Unplanned fire is likely to cause negative effects. High recreation use due to Continental Divide Trail, contains a Scenic Byway, and it is a wildlife migration corridor which provides important security and hiding cover. This entire area provides potential/occupied lynx habitat. The lynx Conservation Strategy may modify or constrain salvage harvest and/or prescribed fire to protect lynx denning habitat.

**Resource objectives**: Restore and maintain healthy forest ecosystems with stocking density control.

**Fire objectives**: The use of fire as a management tool would primarily be designed to reach vegetation management objectives described above. Unplanned fire is likely to cause negative effects. Prescribed fire and other fuels management may be used to avoid or mitigate adverse impacts of wildland fire.

## BIGSHEEP/MEDICINE LODGE BACK COUNTRY BYWAY (B4)

**Area description**: This area is primarily a sagebrush/grass fuel type. The area includes approximately 96,125 acres (48 percent BLM, 6 percent state, 4 percent private, and 5 percent FS).

**Wildland fire history:** Between 1980 and 1999, federal agencies responded to 14 fires which burned an estimated 3,720 acres. Average fire size was 266 acres.

**Interface**: Interface areas are mostly scattered ranches and associated structures. The Medicine Lodge interface area is really two separate low priority interface areas with hazardous fuels buildup on public lands. They have low population density, low escaped fire potential, low to medium potential for loss of life or property from wildland fire, and relatively low community support for treating hazardous fuels.

**Area concerns and constraints**: Unplanned fire is likely to cause negative effects. This area contains high levels of public use for recreation and a large amount of private land.

**Resource objectives**: Maintain healthy grass/sagebrush plant community.

**Fire objectives**: Limit the use of fire as a management tool due to limited BLM ownership and heavy recreation use. Unplanned wildland fire is likely to cause negative effects. Prescribed fire and other fuels management may be used to avoid or mitigate adverse impacts of wildland fire.

## **CENTENNIAL (C7)**

Area description: This area consists of open sagebrush/ grass with numerous wetlands. The south end contains dense stands of conifers to the Continental Divide. North end is sagebrush dominated foothills. Frequent past fires have reduced sagebrush canopy cover in key winter range areas. The area includes approximately 505,750 acres (27 percent BLM, 17 percent state, 38 percent private, 7 percent National Wildlife Refuge, and 9 percent FS). It also contains the Centennial Mountains WSA (27,691 acres) which accounts for about one fifth of the BLM acreage in this fire management area.

**Wildland fire history**: Federal agencies responded to 41 fires which burned more than 7,800 acres. Average fire size was 190 acres. Between 1980 and 1998 BLM responded to 10 fires that averaged about 410 acres.

Interface: Communities include Dell, Lima, Monida and Lakeview. There are also ranches and outbuildings scattered throughout the area. Two priority interface areas with hazardous fuels buildup on public lands are Lakeview and Alaska Basin. Lakeview is considered to have medium population density, low to medium escaped fire potential, low potential for loss of life or property, and medium community support for treating hazardous fuels. Alaska Basin has low population density, medium escaped fire

potential, low potential for loss of life or property, and community support for reducing hazardous fuels is unknown.

Area concerns and constraints: Loss of livestock forage on adjoining private land, cultural concerns, implementation of the Gravelly Landscape Plan, and coordination with Red Rock Refuge. This unit supports significant wildlife use on seasonal habitat and migrational corridors. The Centennial Mountains provide potential/occupied lynx habitat. The lynx Conservation Strategy may modify or constrain salvage harvest and/or prescribed fire to protect lynx denning habitat. Significant interstate movement of sage grouse, elk, wolverine, grizzly bear and wolf through this area emphasizes the need to maintain seasonal habitat and travel corridors. Sagebrush habitat has been substantially fragmented by private land vegetation treatments.

Resource objectives: Resource objects are to maintain healthy grass/sagebrush communities in the non-forested areas. In the forested portion of the Centennial Mountains, restore forest health conditions as outlined in the Gravelly Landscape Analysis (GLA). Specifically, the GLA stated that 700 acres of aspen should be restored, and the drier Douglas fir habitat types should be restored to a savannah structure. In areas of extensive lodgepole pine, fire should be the primary means of establishing age class mix. In areas of subalpine fir, treatment should emphasize areas where there is enough lodgepole pine intermixed to restore earlier seral conditions or where there is sufficient whitebark pine seed source to re-establish this important species.

**Fire objective:** Fire, subject to the constraints listed above, is desired to help manage the ecosystem. Fire/other methods may be used to open dense timber stands in the southern portion to move succession back to an early seral stage with increased aspen growth and to reduce conifers in riparian areas. Limit fire in the north portion of the valley to protect crucial sagebrush winter range.

#### **BLACKTAIL MOUNTAINS (C5)**

**Area description**: Approximately half the area consists of dense conifer stands at the upper elevations. The other half is a sagebrush/grass fuel type. The area includes approximately 34,564 acres (62 percent BLM, 13 percent state, and 25 percent private). The Blacktail Mountains WSA (17,497 acres) makes up about 80 percent of the BLM acreage in this Fire Management Area.

**Wildland fire history**: Between 1980 and 1999, federal agencies responded to eight fires which burned an estimated 350 acres. Average fire size was 43.7 acres.

**Interface**: There is one ranch and several "cow camps" and outbuildings in the area. No interface areas with hazardous fuels buildup on public lands were identified as a priority.

**Resource objectives**: Mechanical forest management treatments are incompatible with WSA policy guidance. Low intensity fire (either unplanned or planned ignition) may be used to reduce current stocking levels of overcrowded conifer stands and re-establish earlier seral conditions. The Blacktail Mountains are part of a larger area identified in the GLA. Resource and fire objectives for grass/sagebrush are addressed in the Blacktail/Horse Prairie section.

**Fire objective:** Fire, subject to the constraints listed above, is desired to help manage the ecosystem. Fire/other methods may be used to open the canopy of dense stands of conifers and to reestablish an earlier seral stage. Fire may be used at the conifer/sagebrush interface to reduce encroachment of young conifers into sagebrush on approximately 1,500 acres/year. Fire may be used on up to 300 acres to restore decadent aspen stands to earlier successional stages and reintroduce Douglas fir savannah structures.

#### **TENDOY MOUNTAINS (C15)**

**Area description**: Approximately 70 percent of the area is sagebrush/grass fuel type. The other 30 percent of the area has dense conifers. The area includes approximately 135,800 acres (41 percent BLM, 3 percent state, 8 percent private, 48 percent FS). Hidden Pasture Creek WSA (15,509 acres) and Bell/Limekiln Canyon WSA (9,650 acres) account for about 45 percent of the BLM acreage.

**Wildland fire history**: From 1978 to 1999, federal agencies have responded to 13 fires which burned an estimated 56 acres. Average fire size was 4.3 acres.

**Interface**: The are several ranches and outbuildings scattered throughout the area. No interface areas with hazardous fuels buildup on public lands were identified as a priority.

Area concerns and constraints: Protect remnant stands of Mountain Mahogany, protect scenic byway on west and south ends. Portions of the Tendoy Mountains provide potential/occupied lynx habitat. The lynx Conservation Strategy may modify or constrain salvage harvest and or prescribed fire to protect lynx denning habitat. The presence of major elk winter and calving ranges, and sage grouse breeding complexes and winter habitat emphasize the need to protect sagebrush habitat and security cover.

**Resource objectives**: Maintain healthy grass/sagebrush communities and restore forest health conditions in the Tendoy Mountains.

**Fire objective**: Fire, subject to the constraints listed above, may be desired to help manage the ecosystem. Fire/other methods may be used on up to 500 acres to maintain the current interspersion of habitat types. Fire is desirable to restore Aspen and Bitterbrush communities.

## **BLACKTAIL/HORSE PRAIRIE (C6)**

**Area description**: This area is primarily an open sagebrush/grass fuel type. It contains small isolated timber stands in low to mid elevation foothills. The area includes approximately 663,700 acres (41 percent BLM, 19 percent state, 39 percent private, 1 percent FS). The Henneberry Ridge WSA (9,806 acres) accounts for less than five percent of the BLM acreage.

**Wildland fire history:** From 1978 to 1999, federal agencies have responded to 26 fires which burned an estimated 14,300 acres. Average fire size was 548 acres. An estimated 5 percent of the area has burned since the early 1980s.

Interface: The town of Grant contains the main concentrations of housing and is in a defendable area from wildfire. The town has low population density, escaped fire potential is considered low, and the potential for loss of life or property is considered low. Community support for hazardous fuels reduction actions is considered low. The remainder of the area is sparsely populated with isolated ranch operations and associated outbuildings. Interface situations are uncommon. Donovan Ranch was identified as an interface area with low population density, low potential for escaped fire, and low potential for loss of life or property. Community support for actions to reduce hazardous fuels is unknown.

Area concerns and constraints: Adjoining private lands limit fire management opportunities and require close coordination and consultation with landowners. The Horse Prairie area supports several major sage grouse breeding complexes, antelope and elk winter habitat. Sagebrush habitats also support several sensitive sagebrush-dependant species. Significant areas of sagebrush habitat have been fragmented, modified or converted by vegetation treatments. Areas adjoining Beaverhead-Deerlodge National Forest provide potential/occupied lynx habitat. The lynx Conservation Strategy may modify or constrain salvage harvest and/or prescribed fire to protect lynx denning habitat.

**Resource objectives**: Maintain existing grass/sagebrush cover on public lands. Arrest the loss of this habitat to Douglas fir encroachment where it interfaces with Douglas fir habitat types on sagebrush lands east of Interstate 15.

**Fire objectives**: Fire, subject to the constraints listed above, may be used to help manage the ecosystem. Protect sagebrush communities due to high diversity of sagebrush-dependant wildlife species.

#### **SWEETWATER/RUBY (C14)**

**Area description**: Approximately 70 percent of this area is sagebrush/grass fuel type. The remaining 30 percent consists of mixed conifer fuel type. The area includes approximately 326,900 acres (27 percent BLM, 18 percent state, 54 percent private, 1 percent FS). The East Fork Blacktail Deer Creek WSA (6,230 acres) accounts for about seven percent of the BLM acreage.

**Wildland fire history**: From 1978 to 1999, federal agencies have responded to 26 fires which burned an estimated 8,400 acres. Average fire size was 321.5 acres. An estimated 25 percent of the sagebrush areas have burned since the early 1980s.

**Interface**: The area is sparsely populated with isolated ranch operations and associated outbuildings. Interface situations are uncommon. No interface areas with hazardous fuels buildup on public lands were identified as a priority.

Area concerns and constraints: Limit fire in sagebrush areas not being affected by Douglas fir encroachment. Limit wildfire on the Blacktail Game Range in the southeast portion of the area. Sagebrush habitats supporting sage grouse breeding complexes, and sage grouse and antelope seasonal use have been fragmented and modified by vegetation treatments in Sweetwater Basin.

**Resource objectives**: Limit additional wildland and prescribed fire in the grass/sagebrush vegetation type on public lands for the next five years. Use of fire in the conifer vegetation types as opportunities permit would be beneficial by creating earlier seral conditions in these stands. NOTE: Gravelly Landscape Analysis objectives across all public lands in the Ruby Mountains recommended treating 400 acres of aspen, 6,600 acres of sagebrush/year, and 1,000 acres of grass, all over 10 years.

**Fire objectives**: Fire, subject to the constraints listed above, may be desired to help manage the ecosystem. Protect sagebrush communities due to high diversity of

sagebrush-dependant wildlife species. Limit the amount of fire on public grasslands (primarily composed of sagebrush) due to past fires and sagebrush control on private and public lands.

## **TOBACCO ROOT MOUNTAINS (C16)**

Area description: Public lands in this unit are primarily on the outside fringe of the Tobacco Root Mountain Range. Approximately 50 percent of this area is sagebrush/grass fuel type. The remaining 50 percent consists of mixed conifer fuel type. The area includes approximately 296,200 acres (11 percent BLM, 2 percent state, 30 percent private, 57 percent FS). The tobacco root tack-on (Section 202) WSA contains 860 acres which accounts for less than 3 percent of the BLM acreage.

**Wildland fire history**: From 1978 to 1999, federal agencies have responded to 42 fires which burned an estimated 1,800 acres. Average fire size was 42.5 acres.

Intermix: The town of Pony and growing subdivisions are relatively common along the east and southern flanks of the Tobacco Root Mountains. These are commonly intermixed with public lands. Interface is also increasing on private lands along the the Tobacco Root Mountains. South Meadow Creek and Strawberry Ridge are interface areas near the Tobacco Root Mountains. South Meadow Creek is considered to have low population density, medium escaped fire potential, low potential for loss of life or property, and medium level of community support for hazardous fuel reduction actions. Strawberry Ridge is considered to have low population density, low to medium escaped fire potential, low potential for loss of life or property, and medium level of community support for hazardous fuel reduction actions.

Area concerns and constraints: Limit fire along the south and east borders due to development of subdivisions. Major elk and mule deer winter habitat surrounds much of this unit on public and private lands. Maintaining seasonal habitats and security cover is a concern. Portions of the Tobacco Root Mountains provide potential/occupied lynx habitat. The lynx Conservation Strategy may modify or constrain salvage harvest and or prescribed fire to protect lynx denning habitat.

Resource objectives: Reintroduction of fire is desired along the west flank of the Tobacco Root Mountains where Rocky Mountain Juniper and Douglas fir are encroaching and beginning to dominate both riparian areas and former grass/sagebrush areas. Forest health issues such as overstocked stands and associated loss of vigor would also be rectified by use of mechanical thinning and recycling of nutrients by fire.

**Fire objectives**: Fire, subject to the constraints listed above, may be desired to help manage the ecosystem. Fire/other methods may be used to restore dense timber stands to earlier seral stages and to open dense juniper stands, particularly in riparian areas.

#### **GRAVELLY MOUNTAINS (C9)**

Area description: Public lands in this unit are primarily on the Northern fringe of the Gravelly Mountain Range. Approximately 30 percent of this area is sagebrush/grass fuel type. The remaining 70 percent consists of mixed conifer fuel type. The area includes approximately 626,600 acres (6 percent BLM, 3 percent state, 14 percent private, 77 percent FS). The Axolotl Lakes WSA (7,804 acres) accounts for about one-fifth of the BLM acreage.

**Wildland fire history**: From 1978 to 1999, federal agencies have responded to 52 fires which burned an estimated 1,500 acres. Average fire size was 28.3 acres.

**Intermix**: The Alder Gulch Historic Mining District lies in the area's northern portion and there is increasing subdivision activity along the eastern portion of the area. Summit-Alder Gulch is considered to have medium to high population density, low to high escaped fire potential, low to medium potential for loss of life or property, and medium level of community support for hazardous fuel reduction actions.

Area concerns and constraints: These areas could be difficult to defend in a major wildfire event due to the prevailing wind direction. Significant elk and mule deer seasonal habitat and winter ranges occur in this unit, along with increasing use by grizzly bear and wolf. Locations of game ranges and winter sagebrush habitat. Areas adjoining Beaverhead-Deerlodge National Forest provide potential/occupied lynx habitat. The lynx Conservation Strategy may modify or constrain salvage harvest and or prescribed fire to protect lynx denning habitat. As a result of these concerns specific fire suppression decisions or prescribed fire opportunities will be made on a case-by-case basis with management staff input via a Resource Advisor.

Resource objectives: These are a direct outcome of the Gravelly Landscape Analysis completed in September 1999. These vegetation objectives are recommendations for all the public ownership and are the direct outcome of Desired Future Condition of vegetation tempered by public input over a 3 year process. Both fire and mechanical treatments could be used to achieve the following objectives across all public ownerships over a ten year period: 1) Restore 4,400 acres of Aspen/year, 2)Restore Douglas fir savannah, multiple age lodgepole pine classes and promote whitebark pine in the subalpine fire habitat

type group, and 3) Maintain a mix of sagebrush age classes through time by treating 2,800 acres/year.

**Fire objectives**: Fire, subject to the constraints listed above, is desired to help manage the ecosystem. Fire/other methods may be used to restore dense timber stands to earlier seral stages and to open dense stands of conifers.

#### EAST MADISON (C8)

Area description: The area is primarily the foothills on the west slope of the Madison Mountain Range. It consists of a scattered grass/timber fuel type and is characterized by steep terrain and topography. The area includes approximately 391,100 acres (3 percent BLM, 2 percent state, 33 percent private, 62 percent FS). The majority of the BLM ownership is in the northwest portion of this area in the Beartrap Wilderness Area. The remaining BLM land is in the southwestern portion of the area and are scattered tracts intermingled with larger private land and Forest Service lands. The Bear Trap Canyon WA (6,000 acres) makes up 54 percent of the BLM acreage in this area.

**Wildland fire history**: From 1978 to 1999, federal agencies have responded to 70 fires which burned an estimated 8,000 acres. Average fire size was 114 acres.

**Interface/intermix:** Interface with private lands is high in the east portion of the Madison Valley. However, no interface areas with hazardous fuels buildup on public lands were identified as a priority.

**Area concerns and constraints**: The Lee Metcalf and the Bear Trap WSAs restricts the use of mechanical earthmoving equipment. Due to the configuration of BLM lands with other ownerships and the generally "flashy" fuels, use of prescribed "natural" fire is extremely difficult.

**Fire objectives**: Fire, subject to the constraints listed above, may be desired to help manage the ecosystem. Fire/other methods may be used to restore dense timber stands to earlier seral stages and to open dense stands of conifers.

#### **SE FOOTHILLS/PIONEERS (C13)**

**Area description**: The area is south of the Pioneer Mountain Range. About 70 percent consists of a scattered grass/timber fuel type and the remaining 30 percent is conifer type consisting mainly of Douglas fir, juniper, and limber pine. The area includes approximately 220,500 acres (46 percent BLM, 6 percent state, 32 percent private, 16 percent FS). The Farlin Creek WSA (1,139 acres) is adjacent to the 93,859 acre Forest Service East Pioneer

proposed wilderness. The Farlin Creek WSA accounts for only one percent of the BLM acreage in the area.

**Wildland fire history**: From 1978 to 1999, federal agencies have responded to 30 fires which burned an estimated 803 acres. Average fire size was 26.7 acres.

**Intermix**: The townsites of Argenta and Polaris as well as growing subdivisions are found within the area. Argenta is considered to have medium population density, low escaped fire potential, low potential for loss of life or property, and medium level of community support for hazardous fuel reduction actions. Birch Creek is also an nearby intermix area that is considered to have low population density, medium escaped fire potential, low potential for loss of life or property, and an unknown level of community support for hazardous fuel reduction actions.

Area concerns and constraints: A FS wilderness proposal in the northern part of the area may influence suppression efforts. Major elk and mule deer winter habitat surrounds much of this unit on public and private lands. Maintaining seasonal habitats and security cover is a concern. Portions of the Pioneer Mountains provide potential/occupied lynx habitat. The lynx Conservation Strategy may modify or constrain salvage harvest and or prescribed fire to protect lynx denning habitat. Sagebrush habitat on the south end of the unit supports sage grouse breeding and winter. Past sagebrush treatments and habitat fragmentation have reduced habitat availability and suitability. As a result of these concerns specific fire suppression decisions or prescribed fire opportunities will be made on a case by case basis with management staff input via a Resource Advisor.

**Planning guidance**: Specific vegetation goals and objectives were developed in the PLA (Pioneer Landscape Analysis).

**Resource objectives**: On Federal lands, the restoration of 25 percent (or 9,000 acres) of Douglas fir savannah, reduction of 1/3 or 2,000 acres of Douglas fir encroachment into sagebrush, restoration of aspen, Mountain Mahogany and riparian communities were all objectives outlined in the PLA.

**Fire objectives:** Fire, subject to the constraints listed above, may be desired to help manage the ecosystem. Use fire/other methods to limit the encroachment of Douglas fir into existing sagebrush stands, to restore and improve stands of aspens (especially in drainages), and to change dense Douglas fir stands back to savannah type communities.

**Prescribed fires and other fuels management:** Coordinate with the FS and private land owners (permittees) to use prescribed fires and mechanical treatments to meet PLA objectives.

## MCCARTNEY/ROCHESTER (C11)

Also see Butte Field Office

**Area description:** The area is east of the Pioneer Mountain Range. About 70 percent consists of a scattered grass/timber fuel type and the remaining 30 percent is conifer type consisting of Douglas fir, juniper, and limber pine. The area includes approximately 274,000 acres (43 percent BLM, 5 percent state, 36 percent private, and 16 percent FS). The area is also characterized by numerous roads from past mining activities.

**Wildland fire history:** Between 1978 and 1999, federal agencies responded to 64 fires which burned an estimated 2,280 acres. Average fire size was 35.5 acres. Prescribed fires have been used on 2,000 acres in the McCarthy Mountain area since the 1980s.

**Interface:** This area contains isolated ranches, the community of Glen, and several fishing-related commercial operations.

**Area concerns and constraints:** The Humbug Spires WSA restricts the use of mechanical equipment. Fire management should be coordinated with the Forest Service. Protection of cultural resources (mining related) and private property requires careful consideration and consultation. The protection of mining-related cultural resources and private property are also concerns.

**Resource objectives:** Maintain/enhance lodgepole pine communities for a variety of size and age classes and stand structure. Protect the wilderness character of Humburg Spires WSA. Objectives would be similar to the Southeast Foothills where aspen, Douglas fir encroachment and Mountain Mahogany opportunities permit.

**Fire objectives:** Fire, subject to the constraints listed above, may be desired to help manage the ecosystem. Prescribed fire/other methods may be used to limit conifer encroachment into the McCarthy Mountain area.

#### Wildland fire suppression and rehabilitation:

Special areas and wilderness study areas: There are several areas within the McCartney/Rochester area that will receive special attention. The Humbug Spires WSA restricts the use of mechanical equipment. These areas have high resource values including cultural, relic,

vegetation, high visual and scenic values and/or historic attributes. A Resource Advisor shall assist the Incident Commander in making suppression decisions. Intensive fire suppression techniques, especially the use of heavy equipment, shall be carefully analyzed prior to being committed.

Forestry: Salvage harvest would not be allowed within the Humbug Spires WSA.

Prescribed fires and other fuels management: Prescribed fire and other fuels management strategies are appropriate to reduce hazardous fuels and meet other resource management objectives. Coordinate with the Forest Service to use prescribed fires and mechanical treatments to meet Pioneer Landscape Plan objectives.

## **BIG HOLE RIVER CORRIDOR (C3)**

Also see Butte Field Office

Area description: About 50 percent consists of open sagebrush/grass parks. Another 45 percent is Douglas fir. Mountain mahogany is scattered throughout the area occurring on steep-rocky south and west facing slopes. Much of this is overtopped by Douglas fir. The remaining 5 percent of the area contains drainages dominated by lodgepole pine. The area is characterized by steep topography and close proximity to the highway. The area includes approximately 50,400 acres (14 percent BLM, 3 percent state, 16 percent private, 67 percent FS). The area is also characterized by numerous roads from past mining activities.

**Wildland fire history**: From 1978 to 1999, federal agencies have responded to 34 fires which burned an estimated 463 acres. Average fire size was 13.6 acres.

**Interface/intermix**: Both individual home site development and subdivision activity are increasing. No interface areas with hazardous fuels buildup on public lands were identified as a priority.

**Area concerns and constraints**: Steep topography and proximity to the highway and private land limits suppression options.

**Resource objectives**: Objectives would be similar to the Southeast Foothills where aspen, Douglas fir encroachment and Mountain Mahogany opportunities permit.

**Fire objectives:** Fire, subject to the constraints listed above, may be desired to help manage the ecosystem. Fire/other methods may be used to limit the encroachment of

Douglas fir into open sagebrush parks and areas of mountain mahogany.

#### **NORTH RUBYS (D12)**

**Area description**: Consists of dense stands of Douglas fir. Terrain is very steep. The area consists of approximately 26,800 acres in the Ruby Mountains WSA (100% BLM).

**Wildland fire history:** No fires have been reported in this area. However, forest mosaic stands indicate a history of multiple stand replacement fires.

**Interface/intermix:** There is little interface within the Ruby Mountains WSA. Private agricultural and forest lands surround the WSA along the southeast border. Agricultural land, much of which is irrigated during the growing season, surrounds the rest of the BLM lands

**Area concerns and constraints:** Fire control would be difficult due to poor access and steep terrain. Watershed damage and erosion could be concerns with large fires.

**Resource objectives**: The GLA recommended restoring 200 acres of aspen over 10 years, restoring 2,000 acres of sagebrush being lost to Douglas fir encroachment and restoring Douglas fir savannah stands by killing the competing understory of conifers.

**Fire objective**: Generally fire/other methods are desired to open dense conifer stands and to reduce heavy fuels.

**Prescribed fires and other fuels management**: Prescribed fires/other methods may be used to open dense conifer stands and reintroduce Douglas fir savannah structures.

Hazardous fuels reduction plans: Hazardous fuels reduction plans will be developed to reduce the risk of wildland fire near private lands especially along the BLM/ private boundary in the southern and southeastern portion of the area.

Vegetation: Prescribed burning will be used to enhance the growth and vigor of certain species and to maintain specific vegetation communities. Maintain and promote park-like stands of mature conifers with mixed grass understory vegetation.